
A	C	G	Н	Ι	J	К
Product	Manufacturer / Supplier	Bundaberg Regional Council	Fraser Coast Regional Council	Gympie Regional Council	South Burnet	North Burnett
General Electrical						
Active Harmonic Filter	Telemecanique Accusine	Accepted			Accepted	
	Danfoss	, coopied			Accepted	
4	Schaffner Ecosine	Accepted			Accepted	
Battery – Pump Station UPS	12V 18Ahr VRLA AGM Sealed Lead Acid	Accepted			Accepted	
Circuit Breakers - General purpose (L&P etc.)	Merlin Gerin C60N and NC100H	Accepted			Accepted	
	Terasaki DIN-T	Accepted			Accepted	
FI Circuit Breakers - Incomers	Merlin Gerin NSX	Accepted			Accepted	
Circuit breakers - incomers	Terasaki Tembreak 2	Accepted			Accepted	
	Terasaki Tembreak 3	Asserted	_		Ассеріец	
		Accepted			Accepted	
Circuit Breakers - Motor starters	Merlin Gerin NS	Accepted			Accepted	
	Terasaki Tembreak Plus	Accepted			Accepted	
Contactors	Telemecanique LC1 Series	Accepted			Accepted	
Control Relays - Multi Pole C/O	Omron LY4	Accepted			Accepted	
	Finder	Accepted	Accepted		Accepted	
Cubicle Cooling Fans & Filters	Rittal SK Series	Accepted	Accepted		Accepted	
Current Transformers	Crompton	Accepted	Accepted		Accepted	
1	IME	Accepted	Accepted		Accepted	
9	Burkert (4-20mA)	Accepted	Accepted		Accepted	
Decontactors	Marechal	Accepted			Accepted	
Electric Control Valves	Auma	Accepted			Accepted	
	Rotork	Accepted	Accepted		Accepted	
Electrodes	Xylem Multitrode Electrodes	Accepted			Accepted	
	Multitrode Failsafe Probe – 0.2/1-30 Multitrode Probe –	Accepted			Accepted	
Electrode Relays	1.0/10-30 Xylem Multitrode SafeSmart Backup Controller	Accepted			Accepted	
4	Multitrode MTRA-5 electrode units	Accepted			Accepted	
Fibre Optic Patch Panels	Optical Fibre Systems	Accepted			Accepted	
F Fuse Cartridges	GEC Type NS	Accepted	Accepted		Accepted	
·	NHP	Accepted	Accepted		Accepted	
<sup>1</sup> Fuse Holders	NHP Compact	Accepted	Accepted		Accepted	
	GEC Safeclip	Accepted	Accepted		Accepted	
Generator inlet	32 amp 5 pin Clipsal 56A1532	Accepted	7.0000000		Accepted	
	63 amp 5 pin Wilco WMB563R					
		Accepted			Accepted	
1	150 amp 5 pin Marechal Wall Box, Decontactor, Padlockable Dust Cap	Accepted			Accepted	
Indication Lights	Telemecanique XB5-AV LED Series	Accepted			Accepted	
	Sprecher & Schuh LED	Accepted			Accepted	
Industrial Ethernet Switch	Weidmuller	Accepted			Accepted	
	MOXA	Accepted			Accepted	
Mains Surge Arrestor	Erico	Accepted	Accepted		Accepted	
1	Novaris (minimum 80kA on a single shot 8/20µs with	Accepted	Accepted		Accepted	
Motors	remote alarm) ABB	Accepted			Accepted	
	Toshiba	Accepted			Accepted	
4	TECO				Accepted	
	Siemens	Accepted			Accepted	
			Acconted			
Motor loolotoro (Lockabla)	WEG	Accepted	Accepted		Accepted	
Motor Isolators (Lockable)	Kraus & Namer	Accepted	Accepted		Accepted	
	Schneider	Accepted	Accepted		Accepted	
	Socomec	Accepted	Accepted		Accepted	
Motor Protection Relay (smart starter)	Telemecanique Tesys T	Accepted			Accepted	
Panel Meters - Ammeters and Voltmeters	NHP RQ72E Series - C/T metering required above 20 amp	Accepted	Accepted		Accepted	
Panel Mount Selector Switches	Schneider Harmony Style 4 Series	Accepted	+		Accepted	
Phase Failure Relay	Telemecanique,	Accepted			Accepted	

*REFI Power Meter	Schneider Power Logic Series 800 Schneider PM5100	Accepted	Accepted		Accepted	
#REFI Power supply 24V DC	PowerBox	Accepted			Accepted	
#REF!	Meanwell	Accepted	Accepted		Accepted	
#REF!	Weidmuller	Accepted			Accepted	
#REF!	PULS	Accepted	Accepted		Accepted	
Pump Protection Relay	Flight Pumps – MiniCAS	Accepted	Accepted		Accepted	
#REFI	Grundfoss – Thermistor Relay (See Thermistor Relay	Accepted			Accepted	
Pump Controllers	section) multismart					
	grundfos				Accepted	
*REF! Pushbutton Assemblies 22.5mm	Telemecanique	Accepted			Accepted	
	Sprecher & Schuh	Accepted			Accepted	
*REF! Servers (SCADA)	Dell	Accepted	Accepted		Accepted	
TREF! Shear Pin relays	Emotron ELFI	Accepted	Accepted		Accepted	
REFI Smart Relay	Schneider Zelios SR3	Accepted			Accepted	
*REF! Socket Outlets and Switches			Accord		Accepted	
	Clipsal 56 series	Accepted	Accepted		Accepted	
REFI Soft Starters	Telemecanique Altistart	Accepted			Accepted	
EDEF.	NHP AUCOM EMX-3 Series	Accepted		-	Accepted	
*2551	Sprecher and Schuh - PCS Series	Accepted			Accepted	
REFI Surge Protection - Instrumentation	Erico	Accepted	Accepted		Accepted	
	Novaris	Accepted	Accepted		Accepted	
	Weidmuller	Accepted			Accepted	
#REFI Terminals	Weidmuller	Accepted			Accepted	
*REFI Thermal Overloads	Suited to Contactor	Accepted	Accepted		Accepted	
#REF!	Telemecanique LR Series	Accepted			Accepted	
*REFI Thermistor Relays	Sprecher & Schuh RT7	Accepted			Accepted	
#REF!	Telemechanique LT3SM00MW 24VDC	Accepted			Accepted	
*REFI Timers Electronic	Omron	Accepted			Accepted	
	Sprecher & Schuh	Accepted			Accepted	
#REFI UPS 240VAC	Powerware	Accepted			Accepted	
#REFI	Eaton	Accepted		1	Accepted	
TREFI UPS Bypass Changeover Switch	Kraus & Naimer	Accepted			Accepted	
TREFT Variable Speed Drives	Danfoss	Accepted			Accepted	
#REF!	Telemecanique Altivar	Accepted	Accepted (61, 630)	1	Accepted	
#REF!	Siemens	Accepted		1	Accepted	
Instruments	-					
Instruments - Dissolved Oxygen	Royce				Accepted	
#REF!	Hach	Accepted			Accepted	
#REFI Instruments - Flow	Royce	Accepted				
#REF!	ABB Watermaster	Accepted	Accepted		Accepted	
Н	E&H Promag		Accepted		Accepted	
#REF1	ProcessMaster	Accepted	, toopted		Accepted	
*REFI Instruments - Level	Vega Hydrostatic pressure transmitter (HART)	Accepted	Accepted		Accepted	
#REF!	Vega Radar (HART)	Accepted	Accepted		Accepted	
#REF!	ABB(Laser)	Accepted	Accepted		Accepted	
#REF!	IFM Effector	Accepted			Accepted	
<sup>#REFI</sup> Instruments - pH	Hach	Accepted			Accepted	
H	Grunfoss	Λυτομίου				
H	Siemens (Evoqua)				Accepted	
#REFI	Wallace and Tiernan	Assessed	Accessed		Accepted	
*REFI Instruments - Pressure	IFM Effector	Accepted	Accepted		Accepted	
#REF!	Yokogawa	Accepted	Accepted		Accepted	
#REFI	ABB	Accepted			Accepted	
REFI Instruments - Turbidity	Hach	Accepted			Accepted	
*REFI Communications (Telemetry and SCADA		Accepted			Accepted	
#REF!	EDAC 700 series					
Auto Dialler	Allied Telesyn	Accepted			Accepted	
Media Converter 10BaseT-10BFL/ST Multimode		Accepted			Accepted	

mini bit Logic Control System     Schmeidor Premium     Accepted     Accepted       Broderson     Broderson     Accepted     Accepted       Broderson     Omron     Accepted     Accepted       min Telemetry, PLC Power Supply / UPS     PULS CP10.241 DC Power Supply 24-28VDC     Accepted     Accepted       min Telemetry, PLC Power Supply / UPS     PULS CP10.241 DC Power Supply 24-28VDC     Accepted     Accepted       min Telemetry, PLC Power Supply / UPS     PULS UB10.242 DC-UPS Output 24VDC and 12/DC     Accepted     Accepted       min Telemetry System - Radio     Radio - Trio R Model - TBURGRHHH-E00E11.00     Accepted     Accepted       Comversion Kit - TBUMMNTRT-EROR (Trio Mouning plate adopter and conversion Kit - ER to QR)     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       min Telemetry System - Radio     Schmeider Gradapak E Service: TBUPS7-FASS-ABD0     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       min Telemetry System - RTU     Schmeider Gradapak E Service: TBUPS7-FASS-ABD0     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       min Telemetry System - RTU     Schmeider Gradapak E Service: TBUPS7-FASS-ABD0     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       min Telemetry System - RTU     Schmeider Gradapak E Service: TBUPS7-FASS-ABD0     Accepted (Bundaberg / Bargara Region)]     Accepted	
Image: Series S7     Accepted     Accepted       Image: Omicon     Omicon     Accepted     Accepted       Image: Omicon     Pulls CP10.241 DC Power Supply 24:28VDC     Accepted     Accepted       Image: Omicon     Pulls UB10.245 DC-UPS Output 24/VDC and 12/VDC     Accepted     Accepted       Image: Omicon     Pulls UB10.245 DC-UPS Output 24/VDC     Accepted     Accepted     Accepted       Image: Omicon     Pulls UB10.242 DC-UPS Output 24/VDC     Accepted     Accepted     Accepted       Image: Omicon     Pulls UB10.242 DC-UPS Output 24/VDC     Accepted     Accepted     Accepted       Image: Omicon     Pulls UB10.242 DC-UPS Output 24/VDC     Accepted     Accepted     Accepted       Image: Omicon     Pulls UB10.242 DC-UPS Output 24/VDC     Accepted     Accepted     Accepted       Image: Omicon     Pulls UB10.242 DC-UPS Output 24/VDC     Accepted (Bundaberg / Bargara Region))     Accepted (Bu	
Image: Control         Ommon         Accepted         Accepted           Image: Telemetry, PLC Power Supply / UPS         PULS CP10.241 DC Power Supply 24:28/DC         Accepted         Accepted         Accepted           Image: Telemetry, PLC Power Supply / UPS         PULS UB10.242 DC-UPS Output 24/DC and 12/DC         Accepted         Accepted         Accepted           Image: Telemetry System - Radio         Radio - Trio GR Model - TBURGRAHHI-EBOR (Trio Mounting plate adapter and conversion Kit - ER to QR)         Accepted         Accepted         Accepted           Image: Telemetry System - Radio         Radio - 4RF Apritas St+ Mounting plate adapter and conversion Kit - ER to QR)         Accepted (Bundaberg / Bargara Region)]         Accepted (Bundaberg / Bargara Region)] <td< td=""><td></td></td<>	
Image: main and matrix system - Radio     PLIS CP10.241 DC Power Supply 24.28VDC     Accepted     Accepted       Main and and and a statution of the ster will determine with RTU     Schneider Sadapack E Saries: TBUP37-FA55-AB00     Accepted (Bundaberg / Bargara Region)]     Accepted     Accepted     Accepted	
Accepted     Accepted     Accepted       ner     PULS UB10.245 DC-UPS Output 24VDC     Accepted     Accepted       ner     PULS UB10.242 DC-UPS Output 24VDC     Accepted     Accepted       ner     PULS UB10.242 DC-UPS Output 24VDC     Accepted     Accepted       ner     reference     Radio – Trio OR Model - TBURQR4HH-E00E1L00 Conversion Kit - TBUMMNTKIT-ERQR (Trio Mounting plate adapter and conversion kit – ER to QR)     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       ner     Radio – 4RF Aprisa SR+ Model – AFSO-M450-SSC-LD-31-ENAA     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       ner     SBRC EATON/E[pro – TLX 400 Blackbutt, Kingaroy, Murgon, Nanango, Wondai     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       ner     scheelder Scadapack E Series: TBUP357-EAS5-AB00 TBUP34-EAS5-AB00 Broderson RTU 32 & 32E: UCN- 2010 (Tri Location and Bundoorna     Accepted (Bundaberg / Bargara Region)]     Accepted       ner     reference     scheelder Scadapack E Series: TBUP357-EAS5-AB00     Accepted (Bundaberg / Bargara Region)]     Accepted       ner     scheelder Scadapack E Series: TBUP357-EAS5-AB00     Free Scadapack E Series: TBUP357-EAS5-AB00     Accepted       ner     scheelder Scadapack E Series: TBUP357-EAS5-AB00     Free Scadapack E Series: TBUP357-EAS5-AB00     Free Scadapack E Series: TBUP357-EAS5-AB00       ner     scheelder Scadap	
Image     Accepted     Accepted     Accepted       Mathematication     PULS UB10.242 DC-UPS Output 24/DC     Accepted     Accepted     Accepted     Accepted     Accepted       Mathematication     Radio – Tno QR Model - TBURQR4HH-E00E1L00 Conversion kit – TBUMMNTKIT-ERQR (Trio Mounting plate adapter and conversion kit – ER to QR)     Accepted (Bundaberg / Bargara Region)]	
Main     PULS UB10.242 DC-UPS Output 24VDC     Accepted     Accepted     Accepted       Main     Radio – Trio QR Model -TBURQR4HH-E00E1L00 Conversion Kit - TBUMMNTK/T-EQR (Trio Mounting plate adapter and conversion Kit - TBU MMNTK/T-EQR (Trio Mounting plate adapter and conversion Kit - ER to QR)     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       Main     Radio – 4RF Aprisa SR+ Model – APSQ-N450-SSC-HD-31-ENAA     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       Main     SBRC EATON/Elpro – TLX 400 Blackbutt, Kingaroy, Murgon, Nanango, Wondai 905U - Murgon VTP 405U-605M – Proston and Boondooma     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       Main     Telemetry System - RTU     Schneider Scadapack E Series: TBUP357-EA55-AB00 TBUP334-EA55-AB00 Broderson RTU 22 & 822: UCN- 28IG/A231B0130.0 BR-E44/0231B0131.0 1 Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)     Accepted is will determine what RTU will be used)	
Metric     Radio – Trio QR Model -TBURQR4HH-E00E1L00 Conversion kit - TBUMMNTKIT-ERQR (Trio Mounting plate adapter and conversion kit - ER to QR)     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       Metric     Radio – 4RF Aprisa SR+ Model – APSQ-N450-SSC-HD-31-ENAA     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       Metric     SBRC EATON/Elpro – TLX 400 Blackbutt, Kingaroy, Murgon Narango, Wondai 905U – Murgon NUTP 405U-605M – Proston and Boondoorna     Accepted (Bundaberg / Bargara Region)]     Accepted (Bundaberg / Bargara Region)]       Metric     Telemetry System - RTU     Schneider Scadapack E Series: TBUP357-EA55-AB00 TBUP334-EA55-AB00 Broderson RTU 32 & 825 L/UCN- 26[0A/231B0130.D BE-640/(2321B0131.D 1)     Accepted (Bundaberg / Bargara Region)]       Metric     Telemetry System - RTU     Schneider Scadapack E Series: TBUP357-EA55-AB00 TBUP334-EA55-AB00 Broderson RTU 32 & 825 L/UCN- 26[0A/231B0130.D BE-640/(231B0131.D 1)     Ber-640/(231B0131.D 1)       Telemetry Uside wat RTU will be used)     Sentend (30) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)     Sentend (30) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)     Sentend (30) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)	
Image: Conversion Kit - TBUMMNTKIT-ERQR (Trio Mounting plate adapter and conversion Kit - ER to QR)       Accepted (Bundaberg / Bargara Region)]         Image: Model = ARF Aprisa SR+ Model = APSQ-N450-SSC-HD-31-ENAA       Accepted (Bundaberg / Bargara Region)]         Image: Model = APSQ-N450-SSC-HD-31-ENAA       Accepted (Bundaberg / Bargara Region)]         Image: Model = APSQ-N450-SSC-HD-31-ENAA       Accepted (Bundaberg / Bargara Region)]         Image: Model = APSQ-N450-SSC-HD-31-ENAA       Accepted (Bundaberg / Bargara Region)]         Image: Murgon, Namago, Wondai 905U - Murgon, WTP 405U-605M - Proston and Boondoorma       Accepted (Bundaberg / Bargara Region)]         Image: Murgon, Namago, Wondai 905U - Mur	
Image: Contract of the second seco	
Model – APSQ-N450-SSC-HD-31-ENAA       Accepted (Bundaberg / Bargara Region)]         Metri       SBRC EATON/Elpro – TLX 400 Blackbutt, Kingaroy, Murgon, Nanango, Wondai 905U – Murgon WTP 405U-605M – Proston and Boondooma       Accepted (Bundaberg / Bargara Region)]         Metri       Telemetry System - RTU       Schneider Scadapack E Series: TBUP357-EA55-AB00 TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN- 26IOA/231B0130.D BRE-64IO/231B0131.D1 Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)       Accepted (Bundaberg / Bargara Region)]	
MEF       SBRC EATON/Elpro – TLX 400 Blackbutt, Kingaroy, Murgon, Nanango, Wondai 905U – Murgon WTP 405U-605M – Proston and Boondooma       Accepted         MEF       Telemetry System - RTU       Schneider Scadapack E Series: TBUP357-EA55-AB00 TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN- 26IOA/231B0130.D BRE-64IO/231B0131.D1 Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)       Image: Comparison of the site will determine what RTU will be used)	
Murgon, Nanango, Wondai       905U – Murgon WTP         905U – Murgon WTP       405U-605M – Proston and Boondooma         Image       Telemetry System - RTU         Schneider Scadapack E Series: TBUP357-EA55-AB00         TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN- 26I0A/231B0130.D BRE-64I0/231B0131.D1         Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)	
Image: Protein and Boondooma       405U-605M - Proston and Boondooma         Image: Protein and Submediate Series: TBUP357-EA55-AB00       Schneider Scadapack E Series: TBUP357-EA55-AB00         Image: Protein and Submediate Series: TBUP334-EA55-AB00 TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN-26IOA/231B0130.D BRE-64IO/231B0131.D1       Schneider Scadapack E Series: TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN-26IOA/231B0130.D BRE-64IO/231B0131.D1         Image: Protein and Situation of the site will determine what RTU will be used)       Schneider Scadapack E Series: TBUP357-EA55-AB00 Broderson RTU 32 & 32E: UCN-26IOA/231B0131.D1	
Image: market     Schneider Scadapack E Series: TBUP357-EA55-AB00       TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN- 26IOA/231B0130.D BRE-64IO/231B0131.D1       Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)	
TBUP334-EA55-AB00 Broderson RTU 32 & 32E: UCN- 26IOA/231B0130.D BRE-64IO/231B0131.D1 Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)	
26IOA/231B0130.D BRE-64IO/231B0131.D1 Telemetry Logger 37 South Site Sentinel (3G) P1-001 P2- 001 (The Location and situation of the site will determine what RTU will be used)	
001 (The Location and situation of the site will determine what RTU will be used)	
what RTU will be used)	
Acconted	
#EEFI SBRC Eaton/Elpro – 115S-11/1/13, 115E-2, 905U and	
405U	
real SCADA Radio Antenna Assembly	
RFI RG213 Accepted Accepted	
RFI N-119 Accepted Accepted	
PREF Coaxial 900 Connector RFI N-246 Accepted Accepted	
Poly Phaser RFI IS-B50LN-C2 Accepted Accepted	
RFI YB6-61 (450-480MHz) Accepted Accepted	
RFI UNV2 S/S Accepted Accepted	
REF Antenna Mast S/S 32mm tube Accepted Accepted	



Product	C Manufacturer / Supplier	D Trade Name	E Size Range	F Specified Requirements /	G Bundaberg Regional Council	H Fraser Coast Regional Council	I Gympie Regional Council	South Burnet	North Burnett
Toudet	manufacturer / Supplier	Traue Name	Size Kange	Minimum Class	bundaberg Regional Council	Fraser Coast Regional Council		South Burnet	North Burnett
UMPS			-						
Submersible Sewage Pump Station/ Lift Station Pumps	Sulzer Pumps Aust Pty Ltd	Sulzer			Accepted	Not Accepted		Accepted	
	Xylem Water Solutions Ltd Grundfos Pumps Pty Ltd	Flygt Grundfos			Accepted Accepted	Accepted Not Accepted		Accepted	4
	KSB Australia Pty Ltd	KSB			Accepted	Accepted		Accepted	-
Submersible sewage pump with	Sulzer Pumps Aust Pty Ltd	Sulzer			Accepted	Not Accepted		Accepted	
grinder	Grundfos Pumps Pty Ltd	Grundfos			Accepted	Not Accepted			
	Xylem Water Solutions Ltd	Flygt			Accepted	Accepted			
	KSB Australia Pty Ltd	KSB			Accepted	Accepted			
Helical rotor pump (Progressive	Mono Pumps Australia Pty Ltd	Mono			Accepted	Accepted		Accepted	
Cavity Pump)	i	Seepex			Accepted	Accepted		Accepted	
	i	Netzsch			Accepted	Not Accepted		Accepted	
	i	PCM (Pumpability_)			Accepted	Not Accepted		Accepted	
Centrifugal	Sulzer Pumps Aust Pty Ltd	Rotopumps Sulzer			Accepted	Accepted Not Accepted		Accepted	
ochinigai	Xylem Water Solutions Ltd	Flygt			Accepted Accepted	Accepted		Accepted Accepted	
	Grundfos Pumps Pty Ltd	Grundfos			Accepted	Accepted		Accepted	
	KSB Australia Pty Ltd	KSB			Accepted	Accepted		Accepted	
	Hydro Innovations	Gorman Rupp			Accepted	Accepted		Accepted	
	Capari					Not Accepted		Accepted	
	Wilo					Not Accepted		Accepted	
Motor Driven Diaphragm Pumps	Grundfos Pumps Pty Ltd	Alldos			Accepted	Accepted		Accepted	
	Siemens	Siemens			Accepted	Accepted		Accepted	
		PCM (pumpability)			Accepted	Not Accepted		Accepted	
	Grundfos Pumps Pty Ltd	Grundfoss DDA Series			Accepted	Accepted		Accepted	
Package Pump Stations (Sewer)	Xylem Water Solutions Ltd	Flygt	+		Acconted	Accepted		Accented	+
	Qmax				Accepted Accepted	Not Accepted		Accepted Accepted	
	Hydro Innovations	Gorman Rupp			Accepted	Accepted		Accepted	
Package Pump Stations	Grundfos Pumps Pty Ltd	Grundfos				Accepted		Accepted	
(Water)Pressure Boosters	I	Lowara				Accepted		Accepted	
Positive Displacement	Borger				Accepted	Not Accepted		Accepted	
	PCM (Pumpability)				Accepted	Not Accepted		Accepted	
	Rotopumps				Accepted	Accepted		Accepted	
	Volgesang					Not Accepted		Accepted	
	Mono Pumps Australia Pty Ltd					Accepted		Accepted	
Pressure Pump Skids	Grundfos Pumps Pty Ltd	Grundfos			Accepted	Accepted		Accepted	
	KSB Australia Pty Ltd	KSB			Accepted	Accepted		Accepted	
	Xylem Water Solutions Ltd	Flyht			Accepted	Accepted		Accepted	
	Hydro Innovations	Southern Cross Gormann Rupp			Accepted	Accepted Not Accepted		Accepted	
Aeration, Blowers and Mixers		Comain Rapp			Accepted	Not Accepted		Accepted	
Aeration Systems - Diffused		Ovivio Aquaconsult (Aerostrip)			Accepted	Not Accepted		Accepted	
Aeration	1	Xylem (Sanitare)			Accepted	Accepted		Accepted	
	i	Aquatec Maxcon			Accepted	Accepted		Accepted	
	1	ABS			Accepted	Not Accepted		Accepted	
Aeration Systems - Submerged Jet	·	Xylem (Sanitare)			Accepted	Accepted		Accepted	
Aerator	i	ABS			Accepted	Not Accepted		Accepted	
		Grundfos			Accepted	Accepted		Accepted	
Air Compressor - Screw compressor	i	Kaeser			Accepted	Accepted		Accepted	
	1	Atlas Copco			Accepted	Accepted		Accepted	
Blower - Centroifugal	Sulzer Pumps Aust Pty Ltd	Gardner Denver HST			A 4	Accepted		Accepted	I
Siener Gentronugar	Calcor i ampo nuot rity Liu	Invent (K Turbo)			Accepted Accepted	Accepted Not Accepted		Accepted Accepted	
	1	Pedro Gil		1		Not Accepted		Accepted	
Blowers - Positive Displacement		PDA	1		Accepted	Accepted		Accepted	ł
	1	Robushi			Accepted	Not Accepted		Accepted	
	1	Caps			Accepted	Not Accepted		Accepted	
Mixers - Submerged	·	Flygt				Accepted		Accepted	
	1	Grundfos				Not Accepted		Accepted	
		ABS				Not Accepted		Accepted	
ACTUATOR/ SOLENOID VALV						1 1			
Electrical Actuator	Rotork	Rotork							
	Auma	Auma							
	Limitorque/Acrodyne	Limitorque MX and QX Series				Accepted			
Solenoid Valve	Burkett	Burkett				Accepted			
	Norgren AVFI	Norgren SR200/300 Dual Input Spur Gearbox	DN350 to DN750	Directional arrows for open/close operation		┨─────┤			
Dual input gearbox- gate valves			2	to be stamped on drive spindles		Accepted			
Dual input gearbox- gate valves		uding Flow Meters)				Accepted			
	Civil List for all Meters inclu-		1		Acconted	Accented		Accented	
MISCELLANEOUS ITEMS (See	e Civil List for all Meters inclu	Ovivio (Braket and Green)			Accepted	Accepted		Accepted	
	e Civil List for all Meters inclu	Ovivio (Braket and Green) Johnston Screens			Accented				
MISCELLANEOUS ITEMS (See	e Civil List for all Meters inclu	Johnston Screens			Accepted	Accepted Accepted		Accepted	
MISCELLANEOUS ITEMS (See	e Civil List for all Meters inclu					Accepted		Accepted	
	e Civil List for all Meters inclu	Johnston Screens CST			Accepted				
MISCELLANEOUS ITEMS (See Band Screens	e Civil List for all Meters incli	Johnston Screens CST Siemens						Accepted Accepted	

		0				No. Assessed as I	1		
87 88		Grundfos Hach (Analysers?)				Not Accepted		Accepted Accepted	
89 Cranes		Demag			Accepted	Accepted		Accepted	
90		JD Monocrane			Accepted			Accepted	
91 Generator		SE Power Genelite			Accepted Accepted			Accepted Accepted	
92 93		Allight			Accepted	Not Accepted		Accepted	
94		Pramac						Accepted	
95 Gravity Drainage Deck 96		Siemens EMO			Accepted			Accepted Accepted	
97 Grit Chamber Mechanical Internals		Ovivo			Accepted			Accepted	
98		VOR			Accepted	Accepted		Accepted	
99 Grit Washing		Ovivio (Jones & Attwood			Accepted			Accepted	
100 101 Polymer Systems		Siemens Tomal (Prominent)			Accepted Accepted	Accepted		Accepted Accepted	
102 Screenings Washing		Ovivio (Jones & Attwood)			Accepted	Accepted		Accepted	
103		CST				Accepted		Accepted	
104 Scum Harvester		VOR Australian Pollution Engineering			Accepted	Accepted		Accepted Accepted	
106 Self Cleaning Filter		Amiad			Accepted Accepted			Accepted	
107 Odour control	McBerns	Vent & Ground Mount Odour Filter	DN50, 100, 150 & 300						
108 PAC System		Prominent				Accepted		Accepted	
109 UV System	Trojan (AQM)							Accepted	
110 Lifting chains				AS4797 Stainless Steel Chain for Lifting Purposes					
111 Protective internal lining -	Steuler			Mechanically anchored PE lining cast into			1	1	
Polyethylene			min. 2.5 mm thickness	wall & underside of top slab - Light colour					
112	Agrusafe								
113 114	Bluey Technologies								
114 115 Protective internal coating - other	AKS Peerless Industrial Systems	Epigen 4029		Colour white to grey			l		
116 coating types	. concecimulation dystems	Epigen 1311 Ultra							
117	Sika Australia	Sikagard - 63N	<u> </u>						
118	Hychem Epoxy Systems	Hychem TL5							
119 120	International Paints ITWPF	Ceilcoat 2000 Flakeline Epirez 733UHB							
121	Fernco / JDP Applications	Ultracoat Epoxy Coating	1						
122 A	C	D Trada Marra	E Dias Damas	F	G	H		j Desetk Deserved	K.
123 Product	Manufacturer / Supplier	Trade Name	Size Range	Specified Requirements / Minimum Class	Bundaberg Regional Council	Fraser Coast Regional Council	Gympie Regional Council	South Burnet	North Burnett
124 Protective external coating									
	Steuler KCH	Oxydur PTB							
				Colour white to grey & heritage green					
125 Pump rails				Stainless Steel 316 Pump manufacturer to specify rail					
	Halloo			Stainless Steel 316					
126 Pump station covers	Hallco	Halico		Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating.					
126 Pump station covers 127	McBerns	Hallco McBerns		Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift.					
126 Pump station covers 127 128	McBerns Multitrode	Hallco McBerns Safehatch		Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304					
126 Pump station covers 127	McBerns	Hallco McBerns		Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set					
126 Pump station covers 127 128	McBerns Multitrode	Hallco McBerns Safehatch		Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304					
126 Pump station covers 127 128	McBerns Multitrode Southeast Stainless	Hallco McBerns Safehatch	To suit 50 mm aluminium	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/gille system. Refer Standard Drawings SEQ-SPS-1304 drawing set					
126       Pump station covers         127       128         129       130         131       Temporary barricade system	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium	Hallco McBerns Safehatch	To suit 50 mm aluminium posts and telescopic aluminium guardrails	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set					
126 Pump station covers 127 128 129 130	McBerns Multitrode Southeast Stainless Custom made	Hallco McBerns Safehatch Southeast Stainless	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Stalisafe' Intermediate Posts 'Railsafe' Dra Inserts, 100 mm 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size D 'Railsafe'					
126       Pump station covers         127       128         129       130         131       Temporary barricade system         132       Fall-arrest anchorage point         133       133	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD)	Hallco McBerns Safehatch Southeast Stainless	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Stalisafe' Intermediate Posts 'Railsafe' Stalisafe' Guardrail, size B 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size F					
126       Pump station covers         127       128         129       130         131       Temporary barricade system         132       Fall-arrest anchorage point         133	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd	Hallco McBerns Safehatch Southeast Stainless	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Stalisafe' Intermediate Posts 'Railsafe' Dra Inserts, 100 mm 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size D 'Railsafe'					
126       Pump station covers         127       128         129       130         131       Temporary barricade system         132       Fall-arrest anchorage point         133       133	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics	Hallco McBerns Safehatch Southeast Stainless	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Standard Drawings SE Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Standard In Standard In Standard In Standard In Standard Standar					
126       Pump station covers         127       128         129       130         131       Temporary barricade system         132       Fall-arrest anchorage point         133       133	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd	Hallco McBerns Safehatch Southeast Stainless	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged iid lift 16 kg. Single person lift. Refer Standard Drawings SE0-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SE0-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Post Inserts, 100 mm 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size F Concrete installations: Flush mount 316 stainless steel.					
126       Pump station covers         127         128         129         130         131         Temporary barricade system         132         133	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged iid lift 16 kg. Single person lift. Refer Standard Drawings SE0-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SE0-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Post Inserts, 100 mm 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size F Concrete installations: Flush mount 316 stainless steel. Bolted anchor point: Eye Bolt, 316 stainless steel. Load rating: 15 kM per person. Flush floor-mounted 316 stainless steel, Part No: L-4035, with bevelled edge, suitable for core-drilling into concrete slab.					
126       Pump station covers         127       128         129       130         130       131         131       Temporary barricade system         132       Fall-arrest anchorage point         133       134         135       135	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging Aegis Sales & Service	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Post Inserts, 100 mm Railsafe' Guardrail, size B 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size F Concrete installations: Flush mount 316 stainless steel. Bolted anchor point: Eye Bolt, 316 stainless steel. Load rating: 15 kN per person. Flush floor-mounted 316 stainless steel, Part No: L-4035, with bevelled edge, suitable for care-drilling into concrete slab. Flush floor-mounted 316 stainless steel, Part No: L-4034, suitable for casting into					
126     Pump station covers       127       128       129       130       131       132       133       133       134       135	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grile system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Post Inserts, 100 mm 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size F Concrete installations: Flush mount 316 stainless steel. Load rating: 15 kN per person. Flush floor-mounted 316 stainless steel, Part No: L-4035, with bevelled edge, suitable for core-drilling into concrete slate. Flush floor-mounted 316 stainless steel, Flush flo					
126     Pump station covers       127       128       129       130       131       132       Fall-arrest anchorage point       133       134       135	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging Aegis Sales & Service Barry Evans Lifting & Safety (QLD)	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Post Inserts, 100 mm 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size F Concrete installations: Flush mount 316 stainless steel. Bolted anchor point: Eye Bolt, 316 stainless steel. Load rating: 15 kN per person. Flush floor-mounted 316 stainless steel, Part No: L-4034, suitable for casting into concrete. Flush floor-mounted 316 stainless steel, Part No: L-4034, suitable for casting into concrete. Flush floor-mounted stainless steel, Part No: 8510110, suitable for casting into					
126     Pump station covers       127       128       129       130       131       132       133       133       134       135	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging Aegis Sales & Service Barry Evans Lifting & Safety (QLD)	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Drawing SEQ-SPS-1304 drawing set Railsafe' Guardrail, size D 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size D 'Railsafe' Solted anchor point: Eye Bolt, 316 stainless steel. Load rating: 15 kN per person. Flush floor-mounted 316 stainless steel, Part No: L-4035, with bevelled edge, suitable for core-drilling into concrete stale. Flush floor-mounted aluvanised steel, Part No: 8510110, suitable for casting into concrete. Flush floor-mounted alguvanised steel, Part No: Bush floor-mou					
126     Pump station covers       127       128       129       130       131       132       133       133       134       135	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged iid lift 16 kg. Single person lift. Refer Standard Drawings SE0-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SE0-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Post Inserts, 100 mm Railsafe' Guardrail, size B 'Railsafe' Guardrail, size B 'Railsafe' Guardrail, size F Concrete installations: Flush mount 316 stainless steel. Bolted anchor point: Eye Bolt, 316 stainless steel. Load rating: 15 kN per person. Flush floor-mounted 316 stainless steel, Part No: L-4035, with bevelled edge, suitable for coasting into concrete. Flush floor-mounted stainless steel, Part No: L-4034, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted galvanised steel, Part No: 8510109, suitable for casting into concrete. Flush floor-mounted					
126     Pump station covers       127       128       129       130       131       132       133       133       134       135	McBerns Multitrode Southeast Stainless Custom made Kennedy's Aluminium Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging Aegis Sales & Service Barry Evans Lifting & Safety (QLD)	Hallco McBerns Safehatch Southeast Stainless Railsafe	posts and telescopic	Stainless Steel 316 Pump manufacturer to specify rail thickness Aluminium covers C/W safety grating. Maximum hinged lid lift 16 kg. Single person lift. Refer Standard Drawings SEQ-SPS-1304 drawing set Aluminium hinged removable cover with safety mesh/grille system. Refer Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Standard Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Drawings SEQ-SPS-1304 drawing set Railsafe' Corner Posts 'Railsafe' Intermediate Posts 'Railsafe' Drawing SEQ-SPS-1304 drawing set Railsafe' Guardrail, size D 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size D 'Railsafe' Guardrail, size D 'Railsafe' Solted anchor point: Eye Bolt, 316 stainless steel. Load rating: 15 kN per person. Flush floor-mounted 316 stainless steel, Part No: L-4035, with bevelled edge, suitable for core-drilling into concrete stale. Flush floor-mounted aluvanised steel, Part No: 8510110, suitable for casting into concrete. Flush floor-mounted alguvanised steel, Part No: Bush floor-mou					

139		Robertsons Lifting & Rigging	SALA	Suitable for use with SALA Advanced Davit Arm System	Wall-Mounted galvanised Steel, Part No: 8518504.		
е	Portable davit, complete with smergency retrieval self retracting feline	Aegis Sales & Service Barry Evans Lifting & Safety (QLD) Pty Ltd Height Dynamics Robertsons Lifting & Rigging		Advanced Davit Arm System. Boom hoist	Advanced Upper Offset Mast, Part No: 8518001 (Supplied complete with Part No. 8518624 & 8510207). Advanced Lower Mast Extension, 1143 mm Part No: 8518003. Emergency Retrieval Sealed Self Retracting Lifeline, 15 m SS wire rope, Part No: 3400102 (Supplied complete with mounting bracket, Part No: 3401065).		